

Applic. No. 09/878,665

Amdt. dated October 1, 2003

Reply to Office action of May 21, 2003

Claim Amendments)  
Claim 1 (cancelled)

Claim 2 (previously-presented): The dish rack according to claim 22, wherein at least some of said legs are pivotable into a horizontal position, a vertical position, and oblique positions different from said horizontal position and said vertical position.

Claim 3 (previously-presented): The dish rack according to claim 2, wherein at least some of said legs form a set-down surface for hollow dishes when at least some of said legs are pivoted into at least one of said oblique positions.

Claim 4 (previously-presented): The dish rack according to claim 2, wherein at least some of said legs form a set-down surface when at least some of said legs are pivoted into an oblique position half-way between said horizontal position and said vertical position.

)  

Claim 5 (previously-presented): The dish rack according to claim 2, wherein at least some of said legs form stops for retaining hollow dishes in said horizontal position.

Applic. No. 09/878,665

Amdt. dated October 1, 2003

Reply to Office action of May 21, 2003

Claim 6 (previously-presented): The dish rack according to claim 2, wherein at least some of said legs form stops for retaining hollow dishes in at least one of said oblique positions.

Claim 7 (previously-presented): The dish rack according to claim 22, further comprising:

further prongs having one leg;

said further prongs and said prongs being alternating disposed on said base wire; and

said two legs of said prongs forming a stop for retaining hollow dishes.

Claim 8 (previously-presented): The dish rack according to claim 25, further comprising:

further prongs having one leg;

said further prongs and said prongs being alternating disposed on said base wire; and

Applic. No. 09/878,665

Amdt. dated October 1, 2003

Reply to Office action of May 21, 2003

said two legs of said prongs forming a stop for retaining hollow dishes.

Claim 9 (currently-amended). The dish rack according to claim 22, wherein said prongs having ~~at least~~ two legs are L-shaped.

Claims 10-15 (cancelled)

Claim 16 (currently-amended). The dish rack according to claim 24, wherein said prongs having ~~at least~~ two legs are L-shaped.

Claim 17 (previously-presented): The dish rack according to claim 16, wherein said retainer is pivotable into a horizontal position, a vertical position, and oblique positions different from said horizontal position and said vertical position.

Claim 18 (previously-presented): The dish rack according to claim 17, wherein a least one of said legs forms a set-down surface for hollow dishes when said retainer is pivoted into at least one of said oblique positions.

Claim 19 (previously-presented): The dish rack according to claim 17, wherein at least one of said legs forms a stop for

Applic. No. 09/878,665  
Amdt. dated October 1, 2003  
Reply to Office action of May 21, 2003

retaining hollow dishes in at least one of said horizontal position and said oblique positions.

Claim 20 (previously-presented): The dish rack according to claim 24, further comprising:

further prongs having one leg;

said further prongs and said prongs being alternating disposed on said base wire; and

said two legs of said prongs forming a stop for retaining hollow dishes.

Claim 21 (cancelled)

Claim 22 (previously-presented): A dish rack for accommodating dishes, comprising:

a plurality of base wires forming a dish rack base; and

a plurality of prongs each having two legs with two free ends and an intersection connecting said legs to one another, each of said prongs being connected to a respective one of said base wires in a vicinity of said intersection, and distal from

Applic. No. 09/878,665

Amdt. dated October 1, 2003

Reply to Office action of May 21, 2003

said free ends, and at least some of said prongs being  
pivotal between different pivot positions about a respective  
longitudinal axis of one of said base wires.

Claim 23 (previously-presented): In a household dishwasher, a  
dish rack for accommodating dishes, the dish rack comprising:

a plurality of base wires forming a dish rack base; and

a plurality of prongs each having two legs with two free ends  
and an intersection connecting said legs to one another, each  
of said prongs being connected to a respective one of said  
base wires in a vicinity of said intersection, and distal from  
said free ends, and at least some of said prongs being  
pivotal between different pivot positions about a respective  
longitudinal axis of one of said base wires.

Claim 24 (previously-presented): A dish rack for  
accommodating dishes, comprising:

at least one base wire and a plurality of prongs forming a  
retainer;

said plurality of prongs each having two legs and an  
intersection connecting said legs to one another, each of said

Applic. No. 09/878,665

Amdt. dated October 1, 2003

Reply to Office action of May 21, 2003

) prongs being connected to said base wire in a vicinity of said intersection and distal from said free ends, for securing dishware, and at least some of said prongs being pivotable between different pivot positions about a longitudinal axis of said base wire.

Claim 25 (currently-amended). The dish rack according to claim 22, wherein some of said prongs are pivotable into three functional dish rack positions, including:

a first functional dish rack position in which a first one of said legs is substantially perpendicular to a plane defined by said dish rack base and a second one of said legs is substantially parallel to said ~~dish rack base~~ plane;

a second functional dish rack position in which said first and second legs enclose acute angles with said ~~dish rack base~~ plane; and

) a third functional dish rack position in which said first leg is substantially parallel to said ~~dish rack base~~ plane and said second leg is substantially perpendicular to said ~~dish rack base~~ plane.